

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance) and (reference with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:45
L2	1	L1 and ((test\$3 with patch) same ((aligned align\$3) with direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:52
L3	21	(calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:52
L4	16	L3 and (input near2 tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:52
L5	16	L4 and (paper near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:52
L6	1	L5 and ((test\$3 with patch) same ((aligned align\$3) with direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:53
S1	0	10/673688	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:00
S2	2	"6584435".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:53

S3	270	(color with calibration) and printer and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:02
S4	32	S3 and (input with tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:56
S5	24	S4 and (paper with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 18:58
S6	19	S5 and (calibrat\$3 with control\$3 with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:53
S7	5	09/941858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:00
S8	5	S7 and (color with calibration) and printer and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:03
S9	5	S8 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:04
S10	0	S9 and tray	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:46

S11	5	09/941858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:46
S12	5	S11 and (color with calibration) and printer and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:46
S13	5	S12 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:46
S14	4	S13 and (sensor with reference with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:47
S15	270	(color with calibration) and printer and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 14:50
S16	32	S15 and (input with tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 14:50
S17	24	S16 and (paper with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 14:50
S18	19	S17 and (calibrat\$3 with control\$3 with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:18

S19	19	S18 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 14:55
S20	5	09/941858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 20:54
S21	5	S20 and (color with calibration) and printer and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 20:56
S22	33	(color with calibration) and (calibrat\$3 with control\$3 with printer) and (test with patch) and (reflectance with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:22
S23	31	S22 and (sens\$3 with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 21:02
S24	29	S23 and (reference with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 21:02
S25	0	(calibrat\$3 with control\$3 with printer) and (reflectance near2 value) and (paper near2 path) and (test near2 patch) and (reference near2 printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:20
S26	0	(calibrat\$3 with control\$3) and (reflectance near2 value) and (paper near2 path) and (test near2 patch) and (reference near2 printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:21

S27	0	(calibrat\$3 with control\$3) and (reflectance near2 value) and (test near2 patch) and (reference near2 printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:21
S28	10	(calibrat\$3 with control\$3 with printer) and (test with patch) and (reflectance with value) and (sensor with reference with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:24
S29	17	(calibrat\$3 with control\$3 with printer) and (test with patch) and (reflectance with value) and (marking with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 19:50
S30	17	(calibrat\$3 with control\$3 with printer) and ((test with patch) same (reflectance with value)) and (marking with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:37
S31	2	(calibrat\$3 with printer) and (test with patch) and (reflectance with value) and (marking with system) and (reflectance with sensor) and (gray with balance\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 19:52
S32	8	(calibrat\$3 with marking with system) and printer and (maintain with color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:55
S33	8	(calibrat\$3 with marking with system) and printer and (maintain with color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:31
S34	2	S33 and (test\$3 with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:15

S35	1	S34 and reflectance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:24
S36	1	S35 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:27
S37	0	S33 and (input near2 tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:27
S38	19	(calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:32
S39	19	(calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:28
S40	14	S39 and (input near2 tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:14
S41	14	S40 and (paper near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:14
S42	0	S41 and (calibrat\$3 same marking same reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:39

S43	14	S41 and (calibrat\$3 same reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:48
S44	15	09/454431	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:49
S45	0	"6714319".pn. and (calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:13
S46	0	"6714319".pn. and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:50
S47	0	"6714319".pn. and (calibrat\$3 with marking with system) and printer and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:51
S48	1	"6714319".pn. and (calibrat\$3 with marking with system) and printer and (test\$3 with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:51
S49	15	09/454431	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:13
S50	14	S49 and (calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:18

S51	14	S50 and (input near2 tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:14
S52	14	S51 and (paper near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:14
S53	65	("2790844"   "3870968"   "4205257"   "4275413"   "4403866"   "4500919"   "4724461"   "4731860"   "4853639"   "4887217"   "5003327"   "5045882"   "5103429"   "5107332"   "5185661"   "5243383"   "5416613"   "5471313"   "5471324"   "5481380"   "5483360"   "5491568"   "5508826"   "5528386"   "5539522"   "5544258"   "5559173"   "5581376"   "5594557"   "5612902"   "5659406"   "5662044"   "5664072"   "5671059"   "5708916"   "5717978"   "5734407"   "5734745"   "5734802"   "5739927"   "5748221"   "5749019"   "5749021"   "5754918"   "5760913"   "5798764"   "5809213"   "5812903"   "5822079"   "5828781"   "5852443"   "5884118"   "5923770"   "5963244"   "5969725"   "6133921"   "6204939"   "6208353"   "6269184"   "6342951"   "6373489"   "6400843"   "6404511"   "6421142").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/15 14:18
S54	0	S53 and (calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:18



S55	16	(calibrat\$3 with marking with system) and printer and (test\$3 with patch) and (sensor with reflectance) and (reference with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:43
S56	1	S55 and (CMY with gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:32
S57	69	(sensor with reference with value) and (marking with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:16
S58	0	S57 and (print\$3 with reference with input with tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:17
S59	0	S57 and (print\$3 with reference) and (input with tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:18
S60	11	S57 and (printer with reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:19
S61	7	S60 and (reflectance with value) and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:20
S62	0	S61 and tray	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:16

S63	25	(calibrat\$3 with (pattern patch)) and (marking with system) and (sensor with reflectance with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:35
S64	0	S63 and ((gray grey) with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:19
S65	1	S63 and ((gray grey) with (patch pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:20
S66	16	S63 and tray	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:23
S67	15	S66 and (paper with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:24
S68	14	S67 and (input with tray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:46
S69	2	"6081348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:57
S71	342	(no with (toner oild) with print\$3 with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:01

S72	428	(no with (toner oil) with print\$3 with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:02
S73	342	(no with toner with print\$3 with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:02
S74	1	S73 and (color with calibration) and printer and (test with patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:02
S75	25	(no with (toner oil)) and (maintain with color) and (print\$3 adj sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:22
S76	2	S75 and calibrat\$3 and marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:20
S77	2	(no adj (toner oil)) and (maintain with color) and (print\$3 adj sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:23
S78	5	(no near2 (toner oil)) and (maintain with color) and (print\$3 adj sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:25
S79	3	(no near2 (toner oil)) with develop\$3 with (print\$3 adj sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:26

S80	0	(no near2 (toner oil)) with (print\$3 adj reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:27
-----	---	---	---	----	----	------------------